MS4 Permit Renewal Meeting

Permittees affected by potential monitoring concept

CDPHE: 4300 Cherry Creek Drive S., Denver CO

Rooms C1E, Building C

August 21, 2013

2-4 pm

Topics

- Outfall Survey
- MS4 Permit coverage/requirements Dry Weather Flows
- Selenium
- E coli
- Draft Permit public notice with 3 monitoring options
- TMDL process
- Open Discussion

Agenda

2 – 2:10 pm	Sign in / Introductions
2:10 – 2:20 pm	 Outfall Survey Results summary Completed surveys will be provided on Division's webpage.
2:20 – 2:30 pm	MS4 Permit coverage/requirements – Dry Weather Flows
2:30 – 2:40 pm	Selenium – Concept to Remove E coli – Intent and Targeted Sources (Dry Weather Sanitary Sewer Seepage and Cross Connections)
2:40 – 3:15 pm	 Draft Permit - public notice with 3 monitoring options for E coli Current COR090000 monitoring language Dry weather outfall monitoring Dry weather outfall monitoring with chemical analysis of E coli to 303(d) listed segments (scope and scale of outfalls to be monitored still being worked on) Facility Specific Language in General (Part III) Recap and status of permit drafting process
3:15 – 3:30 pm	TMDL process - TMDL process in the absence of selenium data
3:15 – 4:00 pm	Open Discussion

The call in number for this meeting is: 1-218-862-1300. Conference ID#820116